

Table 4-3
FS-1 Groundwater Elevations Measured During Chemical Sampling Events
May 2001 - April 2002

| Location | Ground Elevation (ft msl) | Screen Top Elevation (ft msl) | Screen Bottom Elevation (ft msl) | Well Depth Class | Elevation (ft msl) | | | | | | | | | |
|-----------|---------------------------|-------------------------------|----------------------------------|------------------|--------------------|--------|--------|--------|----------|----------|----------|----------|---------|---------|
| | | | | | 5/10/01 | 8/1/01 | 8/2/01 | 8/8/01 | 10/12/01 | 10/15/01 | 10/16/01 | 10/19/01 | 1/16/02 | 1/17/02 |
| 00MW0552A | 37.20 | -74.97 | -79.97 | C | | | | | | | | | | 30.83 |
| 00MW0552B | 36.92 | -44.71 | -49.71 | C | | | | | | | | | | 30.17 |
| 36MW0002 | 105.75 | 62.29 | 52.29 | A | | | | | | | | | | |
| 36MW0007 | 107.20 | 64.14 | 54.14 | A | | | | | | | | | | |
| 36MW0010A | 108.10 | 40.92 | 35.92 | A | | | | | | | | | | |
| 36MW0015 | 106.60 | -17.05 | -22.05 | B | | | | | | | | | | |
| 36MW0131A | 52.15 | -125.61 | -130.61 | D | | | | | | | | | | 33.27 |
| 36MW0131B | 53.37 | -78.75 | -83.75 | C | | | | | | | | | | 33.22 |
| 36MW0131C | 53.37 | -29.70 | -34.70 | B | | | | | | | | | | 33.44 |
| 36MW0132A | 54.30 | -131.04 | -136.04 | D | | | | | 32.32 | | | | | 32.34 |
| 36MW0132B | 54.30 | -81.04 | -86.04 | C | | | | | 32.06 | | | | | 32.13 |
| 36MW0132C | 54.61 | -24.02 | -29.02 | B | | | | | 31.00 | | | | | 31.17 |
| 36MW0133 | 34.04 | -21.18 | -26.18 | B | | | | | | 30.93 | | | | |
| 36MW0135 | 34.48 | -140.74 | -145.74 | D | | | | | | 32.33 | | | | |
| 36MW0136 | 55.74 | -86.96 | -91.48 | C | | | | | | 32.26 | | | | |
| 36MW0137 | 58.34 | -45.49 | -50.49 | B | | | | | | 36.63 | | | | 36.21 |
| 36MW0138 | 57.03 | -87.04 | -92.04 | C | | | | | | | 32.26 | | | |
| 36MW0139 | 47.37 | -45.42 | -50.42 | B | | | | | | 37.05 | | | | |
| 36MW0140 | 50.44 | -84.84 | -89.84 | C | | | | | | | | 37.15 | | |
| 36MW0141 | 95.30 | -117.79 | -122.79 | D | | | | | | | | | | 39.93 |
| 36MW0143 | 34.94 | -130.32 | -135.32 | D | | | | | | | 32.04 | | | 32.26 |
| 36MW0501 | 78.38 | -66.97 | -71.97 | C | | | | | | | | | | |
| 36MW0503A | 103.21 | -87.03 | -92.03 | C | | 46.95 | | | | | | | | |
| 36MW0503B | 103.10 | -42.36 | -47.36 | B | | 46.91 | | | | | | | | |
| 36MW0503C | 102.87 | -12.36 | -17.36 | B | | | | | | | | | | |
| 36MW0504 | 78.85 | -98.54 | -103.54 | D | | | | | | | | | | |
| 36MW0603A | 110.68 | -84.55 | -89.55 | C | | | 54.00 | | | | | | | |
| 36MW0603B | 110.63 | -34.58 | -39.58 | B | | | | | | | | | | |
| 36MW0604 | 112.08 | -83.12 | -88.12 | C | | | | | | | | | | |
| 36MW1001A | 34.48 | -111.64 | -116.64 | D | | | | | | 31.15 | | | | |
| 36MW1001B | 34.63 | -60.87 | -65.87 | C | | | | | | 31.66 | | | | |
| 36MW1010A | 49.37 | -168.88 | -178.88 | E | | | | | | 35.56 | | | | |
| 36MW1010B | 50.63 | -110.05 | -115.05 | D | | | | | | 35.59 | | | | |
| 36MW1010C | 49.37 | -28.86 | -33.86 | B | | | | | | 35.54 | | | | |
| 36MW1011A | 34.62 | -61.12 | -66.12 | C | | | | | 31.53 | | | | | |
| 36MW1011B | 34.84 | 14.45 | 9.45 | A | | | | | | | | | | |
| 36MW1012A | 38.04 | -106.86 | -111.86 | D | | | | | | 32.80 | | | | 32.77 |
| 36MW1012B | 38.10 | -35.26 | -40.26 | B | | | | | | 32.06 | | | | 32.07 |
| 36MW1012C | 38.10 | 20.12 | 15.12 | A | | | | | | 30.92 | | | | 31.08 |
| 36MW1013A | 56.91 | -105.63 | -110.63 | D | | | | | | | | | | |

Table 4-3
FS-1 Groundwater Elevations Measured During Chemical Sampling Events
May 2001 - April 2002

| Location | Ground Elevation (ft msl) | Screen Top Elevation (ft msl) | Screen Bottom Elevation (ft msl) | Well Depth Class | Elevation (ft msl) | | | | | |
|-----------|------------------------------|----------------------------------|-------------------------------------|------------------|--------------------|---------|---------|---------|---------|---------|
| | | | | | 1/18/02 | 1/21/02 | 1/22/02 | 1/23/02 | 1/24/02 | 1/25/02 |
| 00MW0552A | 37.20 | -74.97 | -79.97 | C | | | | | | |
| 00MW0552B | 36.92 | -44.71 | -49.71 | C | | | | | | |
| 36MW0002 | 105.75 | 62.29 | 52.29 | A | | | | | 56.69 | |
| 36MW0007 | 107.20 | 64.14 | 54.14 | A | | | | | 56.84 | |
| 36MW0010A | 108.10 | 40.92 | 35.92 | A | | | | | 56.03 | |
| 36MW0015 | 106.60 | -17.05 | -22.05 | B | | | | | 56.80 | |
| 36MW0131A | 52.15 | -125.61 | -130.61 | D | | | | | | |
| 36MW0131B | 53.37 | -78.75 | -83.75 | C | | | | | | |
| 36MW0131C | 53.37 | -29.70 | -34.70 | B | | | | | | |
| 36MW0132A | 54.30 | -131.04 | -136.04 | D | | | | | | |
| 36MW0132B | 54.30 | -81.04 | -86.04 | C | | | | | | |
| 36MW0132C | 54.61 | -24.02 | -29.02 | B | | | | | | |
| 36MW0133 | 34.04 | -21.18 | -26.18 | B | 31.87 | | | | | |
| 36MW0135 | 34.48 | -140.74 | -145.74 | D | | | 33.28 | | | |
| 36MW0136 | 55.74 | -86.96 | -91.48 | C | | | 32.71 | | | |
| 36MW0137 | 58.34 | -45.49 | -50.49 | B | | | | | | |
| 36MW0138 | 57.03 | -87.04 | -92.04 | C | | | | | | |
| 36MW0139 | 47.37 | -45.42 | -50.42 | B | | | | | | |
| 36MW0140 | 50.44 | -84.84 | -89.84 | C | | | | | | |
| 36MW0141 | 95.30 | -117.79 | -122.79 | D | | | | | | |
| 36MW0143 | 34.94 | -130.32 | -135.32 | D | | | | | | |
| 36MW0501 | 78.38 | -66.97 | -71.97 | C | 44.66 | | | | | |
| 36MW0503A | 103.21 | -87.03 | -92.03 | C | | | | 44.76 | | |
| 36MW0503B | 103.10 | -42.36 | -47.36 | B | | | | 44.71 | | |
| 36MW0503C | 102.87 | -12.36 | -17.36 | B | | | | 44.69 | | |
| 36MW0504 | 78.85 | -98.54 | -103.54 | D | 44.83 | | | | | |
| 36MW0603A | 110.68 | -84.55 | -89.55 | C | | | | | 51.78 | |
| 36MW0603B | 110.63 | -34.58 | -39.58 | B | | | | | 51.79 | |
| 36MW0604 | 112.08 | -83.12 | -88.12 | C | | | | | 51.15 | |
| 36MW1001A | 34.48 | -111.64 | -116.64 | D | | | | 32.11 | | |
| 36MW1001B | 34.63 | -60.87 | -65.87 | C | | | | 32.90 | | |
| 36MW1010A | 49.37 | -168.88 | -178.88 | E | 35.14 | | | | | |
| 36MW1010B | 50.63 | -110.05 | -115.05 | D | 35.22 | | | | | |
| 36MW1010C | 49.37 | -28.86 | -33.86 | B | 35.18 | | | | | |
| 36MW1011A | 34.62 | -61.12 | -66.12 | C | 32.03 | | | | | |
| 36MW1011B | 34.84 | 14.45 | 9.45 | A | 32.14 | | | | | |
| 36MW1012A | 38.04 | -106.86 | -111.86 | D | | | | | | |
| 36MW1012B | 38.10 | -35.26 | -40.26 | B | | | | | | |
| 36MW1012C | 38.10 | 20.12 | 15.12 | A | | | | | | |
| 36MW1013A | 56.91 | -105.63 | -110.63 | D | 33.60 | | | | | |

Table 4-3
FS-1 Groundwater Elevations Measured During Chemical Sampling Events
May 2001 - April 2002

| Location | Ground Elevation (ft msl) | Screen Top Elevation (ft msl) | Screen Bottom Elevation (ft msl) | Well Depth Class | Elevation (ft msl) | | | | | | | |
|-----------|---------------------------|-------------------------------|----------------------------------|------------------|--------------------|---------|---------|---------|---------|---------|---------|---------|
| | | | | | 1/28/02 | 3/20/02 | 3/21/02 | 3/22/02 | 3/25/02 | 3/26/02 | 3/27/02 | 3/29/02 |
| 00MW0552A | 37.20 | -74.97 | -79.97 | C | | 31.32 | | | | | | |
| 00MW0552B | 36.92 | -44.71 | -49.71 | C | | 30.64 | | | | | | |
| 36MW0002 | 105.75 | 62.29 | 52.29 | A | | | | 56.29 | | | | |
| 36MW0007 | 107.20 | 64.14 | 54.14 | A | | | | 56.46 | | | | |
| 36MW0010A | 108.10 | 40.92 | 35.92 | A | | | | 55.61 | | | | |
| 36MW0015 | 106.60 | -17.05 | -22.05 | B | 56.77 | | | 56.40 | | | | |
| 36MW0131A | 52.15 | -125.61 | -130.61 | D | | 33.88 | | | | | | |
| 36MW0131B | 53.37 | -78.75 | -83.75 | C | | 33.89 | | | | | | |
| 36MW0131C | 53.37 | -29.70 | -34.70 | B | | 34.09 | | | | | | |
| 36MW0132A | 54.30 | -131.04 | -136.04 | D | | 33.21 | | | | | | |
| 36MW0132B | 54.30 | -81.04 | -86.04 | C | | 33.02 | | | | | | |
| 36MW0132C | 54.61 | -24.02 | -29.02 | B | | 32.35 | | | | | | |
| 36MW0133 | 34.04 | -21.18 | -26.18 | B | | | 32.61 | | | | | |
| 36MW0135 | 34.48 | -140.74 | -145.74 | D | | | 33.50 | | | | | |
| 36MW0136 | 55.74 | -86.96 | -91.48 | C | | | 33.05 | | | | | |
| 36MW0137 | 58.34 | -45.49 | -50.49 | B | | 36.65 | | | | | | |
| 36MW0138 | 57.03 | -87.04 | -92.04 | C | | | | | | | | |
| 36MW0139 | 47.37 | -45.42 | -50.42 | B | 37.00 | 37.08 | | | | | | |
| 36MW0140 | 50.44 | -84.84 | -89.84 | C | 36.64 | | 36.71 | | | | | |
| 36MW0141 | 95.30 | -117.79 | -122.79 | D | | | | 39.87 | | | | |
| 36MW0143 | 34.94 | -130.32 | -135.32 | D | | | 33.08 | | | | | |
| 36MW0501 | 78.38 | -66.97 | -71.97 | C | | | | | | 44.39 | | |
| 36MW0503A | 103.21 | -87.03 | -92.03 | C | | | | | | 44.55 | | |
| 36MW0503B | 103.10 | -42.36 | -47.36 | B | | | | | | 44.51 | | |
| 36MW0503C | 102.87 | -12.36 | -17.36 | B | | | | | | 44.48 | | |
| 36MW0504 | 78.85 | -98.54 | -103.54 | D | | | | | | 44.53 | | |
| 36MW0603A | 110.68 | -84.55 | -89.55 | C | | | | | 51.39 | | | |
| 36MW0603B | 110.63 | -34.58 | -39.58 | B | | | | | 51.36 | | | |
| 36MW0604 | 112.08 | -83.12 | -88.12 | C | | | | | 50.70 | | | |
| 36MW1001A | 34.48 | -111.64 | -116.64 | D | | | 32.32 | | | | | |
| 36MW1001B | 34.63 | -60.87 | -65.87 | C | | | 33.01 | | | | | |
| 36MW1010A | 49.37 | -168.88 | -178.88 | E | | | | | 35.83 | | | |
| 36MW1010B | 50.63 | -110.05 | -115.05 | D | | | | | 35.65 | | | |
| 36MW1010C | 49.37 | -28.86 | -33.86 | B | | | | | 35.61 | | | |
| 36MW1011A | 34.62 | -61.12 | -66.12 | C | | | 32.78 | | | | | |
| 36MW1011B | 34.84 | 14.45 | 9.45 | A | | | 32.89 | | | | | |
| 36MW1012A | 38.04 | -106.86 | -111.86 | D | | | | | 33.49 | | | |
| 36MW1012B | 38.10 | -35.26 | -40.26 | B | | | | | 32.89 | | | |
| 36MW1012C | 38.10 | 20.12 | 15.12 | A | | | | | 32.09 | | | |
| 36MW1013A | 56.91 | -105.63 | -110.63 | D | | | | | 34.04 | | | |

Table 4-3
FS-1 Groundwater Elevations Measured During Chemical Sampling Events
May 2001 - April 2002

| Location | Ground Elevation (ft msl) | Screen Top Elevation (ft msl) | Screen Bottom Elevation (ft msl) | Well Depth Class | Elevation (ft msl) | | | | | | | | | |
|-----------|---------------------------|-------------------------------|----------------------------------|------------------|--------------------|--------|--------|--------|----------|----------|----------|----------|---------|---------|
| | | | | | 5/10/01 | 8/1/01 | 8/2/01 | 8/8/01 | 10/12/01 | 10/15/01 | 10/16/01 | 10/19/01 | 1/16/02 | 1/17/02 |
| 36MW1013B | 56.91 | -65.31 | -70.31 | C | | | | | | | | | | |
| 36MW1013C | 57.38 | 28.25 | 23.25 | A | | | | | | | | | | |
| 36MW1013D | 57.45 | -167.34 | -172.34 | E | 35.72 | | | | | | | | | |
| 36MW1013E | 57.45 | -132.29 | -137.29 | D | 34.63 | | | | | | | | | |
| 36MW1014A | 36.37 | -57.33 | -62.33 | C | | | | | | | | | | |
| 36MW1014B | 36.16 | 17.88 | 12.88 | A | | | | | | | | | | |
| 36MW1035 | 114.23 | -73.70 | -78.70 | C | | | | | | | | | | |
| 36MW1036A | 107.97 | -150.63 | -155.58 | E | | | | | | | | | | 50.14 |
| 36MW1036B | 107.85 | -111.81 | -116.81 | D | | | | 52.42 | | | | | | 50.18 |
| 36MW1036C | 107.97 | -62.78 | -67.73 | C | | | | 52.41 | | | | | | 50.16 |
| 36MW1037B | 101.87 | -108.04 | -113.04 | D | | | 46.17 | | | | | | | |
| 36MW1037C | 101.52 | -28.92 | -34.20 | B | | | 46.26 | | | | | | | |
| 36MW1038A | 96.76 | -143.14 | -148.04 | D | | | | | | | | | | |
| 36MW1038B | 96.95 | -102.92 | -107.72 | D | | | | | | | | | | |
| 36MW1038C | 96.55 | 6.95 | 2.15 | A | | | | | | | | | | |
| 36MW1039B | 101.55 | -87.86 | -92.86 | C | | | | 46.19 | | | | | | |
| 36MW1039C | 101.43 | -38.00 | -42.95 | B | | | | 46.29 | | | | | | |
| 36MW1040A | 64.54 | -149.40 | -154.20 | E | | | | | | | | | | |
| 36MW1040B | 64.49 | -64.29 | -69.12 | C | | | | | | | | | | |
| 36MW1041A | 93.88 | -125.98 | -130.78 | D | | | | | | | | | | |
| 36MW1041B | 93.95 | -56.18 | -61.08 | C | | | | | | | | | | |
| 36MW1041C | 93.95 | -36.29 | -41.19 | B | | | | | | | | | | |
| 36MW1042A | 108.38 | -111.72 | -116.67 | D | | | | | | | | | | 50.73 |
| 36MW1042B | 108.65 | -71.23 | -76.03 | C | | | | | | | | | | 51.06 |
| 36PZ1001 | 33.90 | 31.36 | 26.36 | A | | | | | | | | | | |
| 36PZ1002A | 33.74 | -91.54 | -96.54 | C | | | | | | | | | | |
| 36PZ1002B | 33.74 | 31.62 | 26.62 | A | | | | | | | | | | |
| 36PZ1003 | 36.72 | 34.44 | 29.44 | A | | | | | | | | | | |
| 36PZ1010 | 49.37 | 26.64 | 21.64 | A | | | | | | | | | | |

Table 4-3
FS-1 Groundwater Elevations Measured During Chemical Sampling Events
May 2001 - April 2002

| Location | Ground Elevation (ft msl) | Screen Top Elevation (ft msl) | Screen Bottom Elevation (ft msl) | Well Depth Class | Elevation (ft msl) | | | | | |
|-----------|---------------------------|-------------------------------|----------------------------------|------------------|--------------------|---------|---------|---------|---------|---------|
| | | | | | 1/18/02 | 1/21/02 | 1/22/02 | 1/23/02 | 1/24/02 | 1/25/02 |
| 36MW1013B | 56.91 | -65.31 | -70.31 | C | 33.82 | | | | | |
| 36MW1013C | 57.38 | 28.25 | 23.25 | A | 32.81 | | | | | |
| 36MW1013D | 57.45 | -167.34 | -172.34 | E | | | | 35.08 | | |
| 36MW1013E | 57.45 | -132.29 | -137.29 | D | | | | 33.89 | | |
| 36MW1014A | 36.37 | -57.33 | -62.33 | C | | | | | 33.99 | |
| 36MW1014B | 36.16 | 17.88 | 12.88 | A | | | | | 32.87 | |
| 36MW1035 | 114.23 | -73.70 | -78.70 | C | | | | | | 52.94 |
| 36MW1036A | 107.97 | -150.63 | -155.58 | E | | | | | | |
| 36MW1036B | 107.85 | -111.81 | -116.81 | D | | | | | | |
| 36MW1036C | 107.97 | -62.78 | -67.73 | C | | | | | | |
| 36MW1037B | 101.87 | -108.04 | -113.04 | D | | | | | | |
| 36MW1037C | 101.52 | -28.92 | -34.20 | B | | | | | | |
| 36MW1038A | 96.76 | -143.14 | -148.04 | D | | 39.12 | | | | |
| 36MW1038B | 96.95 | -102.92 | -107.72 | D | | 39.05 | | | | |
| 36MW1038C | 96.55 | 6.95 | 2.15 | A | | 39.49 | | | | |
| 36MW1039B | 101.55 | -87.86 | -92.86 | C | | | | | 44.18 | |
| 36MW1039C | 101.43 | -38.00 | -42.95 | B | | | | | | |
| 36MW1040A | 64.54 | -149.40 | -154.20 | E | | | | | | 40.18 |
| 36MW1040B | 64.49 | -64.29 | -69.12 | C | | | | | | 40.06 |
| 36MW1041A | 93.88 | -125.98 | -130.78 | D | | 40.34 | | | | |
| 36MW1041B | 93.95 | -56.18 | -61.08 | C | | 40.27 | | | | |
| 36MW1041C | 93.95 | -36.29 | -41.19 | B | | 40.08 | | | | |
| 36MW1042A | 108.38 | -111.72 | -116.67 | D | | | | | | |
| 36MW1042B | 108.65 | -71.23 | -76.03 | C | | | | | | |
| 36PZ1001 | 33.90 | 31.36 | 26.36 | A | 31.96 | | | | | |
| 36PZ1002A | 33.74 | -91.54 | -96.54 | C | | | | | | 32.95 |
| 36PZ1002B | 33.74 | 31.62 | 26.62 | A | | | | | | 31.04 |
| 36PZ1003 | 36.72 | 34.44 | 29.44 | A | | | | | | 33.94 |
| 36PZ1010 | 49.37 | 26.64 | 21.64 | A | | | | | 35.99 | |

Table 4-3
FS-1 Groundwater Elevations Measured During Chemical Sampling Events
May 2001 - April 2002

| Location | Ground Elevation (ft msl) | Screen Top Elevation (ft msl) | Screen Bottom Elevation (ft msl) | Well Depth Class | Elevation (ft msl) | | | | | | | |
|-----------|---------------------------|-------------------------------|----------------------------------|------------------|--------------------|---------|---------|---------|---------|---------|---------|---------|
| | | | | | 1/28/02 | 3/20/02 | 3/21/02 | 3/22/02 | 3/25/02 | 3/26/02 | 3/27/02 | 3/29/02 |
| 36MW1013B | 56.91 | -65.31 | -70.31 | C | | | | | 34.15 | | | |
| 36MW1013C | 57.38 | 28.25 | 23.25 | A | | | | | 34.21 | | | |
| 36MW1013D | 57.45 | -167.34 | -172.34 | E | | | | | 35.21 | | | |
| 36MW1013E | 57.45 | -132.29 | -137.29 | D | | | | | 34.18 | | | |
| 36MW1014A | 36.37 | -57.33 | -62.33 | C | | | | 34.19 | | | | |
| 36MW1014B | 36.16 | 17.88 | 12.88 | A | | | | 32.96 | | | | |
| 36MW1035 | 114.23 | -73.70 | -78.70 | C | | | | | | 52.53 | | |
| 36MW1036A | 107.97 | -150.63 | -155.58 | E | | | | | 49.68 | | | |
| 36MW1036B | 107.85 | -111.81 | -116.81 | D | | | | | 49.70 | | | |
| 36MW1036C | 107.97 | -62.78 | -67.73 | C | | | | | 49.72 | | | |
| 36MW1037B | 101.87 | -108.04 | -113.04 | D | | | | | | | | |
| 36MW1037C | 101.52 | -28.92 | -34.20 | B | | | | | | | | |
| 36MW1038A | 96.76 | -143.14 | -148.04 | D | | | | | | 39.30 | | |
| 36MW1038B | 96.95 | -102.92 | -107.72 | D | | | | | | | 39.20 | |
| 36MW1038C | 96.55 | 6.95 | 2.15 | A | | | | | | | 39.60 | |
| 36MW1039B | 101.55 | -87.86 | -92.86 | C | | | | | | 44.04 | | |
| 36MW1039C | 101.43 | -38.00 | -42.95 | B | | | | | | | | |
| 36MW1040A | 64.54 | -149.40 | -154.20 | E | | | 40.18 | | | | | |
| 36MW1040B | 64.49 | -64.29 | -69.12 | C | | | 40.09 | | | | | |
| 36MW1041A | 93.88 | -125.98 | -130.78 | D | | | 40.38 | | | | | |
| 36MW1041B | 93.95 | -56.18 | -61.08 | C | | | 40.28 | | | | | |
| 36MW1041C | 93.95 | -36.29 | -41.19 | B | | | 40.11 | | | | | |
| 36MW1042A | 108.38 | -111.72 | -116.67 | D | | | | 50.27 | | | | |
| 36MW1042B | 108.65 | -71.23 | -76.03 | C | | | | 50.63 | | | | |
| 36PZ1001 | 33.90 | 31.36 | 26.36 | A | | | 32.26 | | | | | |
| 36PZ1002A | 33.74 | -91.54 | -96.54 | C | | | | | 33.15 | | | |
| 36PZ1002B | 33.74 | 31.62 | 26.62 | A | | | | | 32.42 | | | |
| 36PZ1003 | 36.72 | 34.44 | 29.44 | A | | | | | 34.13 | | | |
| 36PZ1010 | 49.37 | 26.64 | 21.64 | A | | | | | | | 36.25 | |

Data Sources: Jacobs, October 2002, Site Environmental Evaluation (SEE) database and AFCEE, MMR-AFCEE Data Warehouse.

Note:

ft = feet

ft msl = feet mean sea level

blank indicates no measurement

Well Depth Class

A Midscreen above 0 ft msl

B Midscreen between 0 and -50 ft msl

C Midscreen between -50 and -100 ft msl

D Midscreen between -100 and -150 ft msl

E Midscreen between -150 and -200 ft msl